



## YIHUA1502T 15V 2A DC power supply



Input voltage: 110V/220V/230V/240V optional

Product weight:

Size:

### Main Function

1. Output constant current adjustable.
2. Output constant voltage adjustable.
3. LCD voltage and current display.
4. Constant voltage and current operation in individual.

5. Over current protection.
6. Could be adjustable

### The advantages of our DC power supply

1. High precision and good technique to protect the product Safety and reliability.  
 We are using advanced SAMSUNG IC according control software to shows. And in order to protect the product Safety and reliability, in software we make the Limit in the shows.  
 (Some of factory products in order to save the cost are using Analog Circuitry to do, so they are precision Safety and reliability cannot compete us.)

2. Good transformer  
 Our transformer are using good conductor and high efficient magnetic core. So we no need make bigger, but can satisfied the DC power supply.  
 (some of factory transformer material less efficient that cannot load, so their make bigger. that cause the weight heavy and high calorific value, so there are transformer cannot compete us.)

### YIHUA1502T dc power supply supplier display

Model No.	Pointer / LED	Adjust Current	Adjust Voltage
YIHUA PS-1502DD+	LED	0.6~2A	0~15V
YIHUA PS-1502D+	Pointer	0~2A	0~15V
YIHUA PS-1501T	Pointer	0~1A	0~15V
YIHUA PS-1502T	Pointer	0~2A	0~15V
YIHUA PS-1501DA	Pointer	0~1A	0~15V
YIHUA PS-1502DD	LED	0.6~2A	0~15V
YIHUA PS-303D	LED	0~3A	0~30V
YIHUA PS-305D	LED	0~5A	0~30V

### Primary Technical Parameter

1. The power supply input we can make 110V, 220V, 230V, 240V AC
2. The biggest power 30W max
3. Output voltage 0-15V DC, output current 0-2A
4. Work temperature -10oC-40oC
5. Empty carry to exhaust <0.25W

### Packaging & Shipping

Model	Inner box Dimension(cm)	Outer box Dimension(cm)	QTY	Product weight
YIHUA 1502T	27*14*22	76*29*46.5	10pcs	1.9kg
YIHUA 1501DA	27*14*22	76*29*46.5	10pcs	1.9kg
YIHUA 1501D+	27*14*22	76*29*46.5	10pcs	1.9kg

These are 220V units, you may need a transformer to use the machine in your country. We also do accept special orders for 110V / 230V/ 240V units

